


# Effortless and effective cleaning

Medium combination unit with manual boom for preventive and maintenance cleaning and clearing of roadside gullies and stormwater drains. It is designed for a 19-ton chassis and has an 8 m³ tipping tank with a fixed partition that separates water from sludge. Its load-sensing hydraulic drive improves fuel economy. The effective 744 m³/h vacuum pump offers high airflow and vacuum, and it is air cooled for a clean operation. The combination of the load-sensing hydraulic drive and blower vacuum pump results in a more silent operation.

## Multiple applications

Simple and reliable operation



### Bucher Municipal



For local contact and support, please scan the QR code or visit [buchermunicipal.com](https://www.buchermunicipal.com)

At Bucher Municipal, we innovate and engineer better cleaning and clearing solutions, helping our customers grow and maintain efficient and profitable businesses. Leveraging the over 200-year-old heritage of Bucher, we are committed to helping you achieve more using less. Taking pride in being seen as a reliable partner, we work locally with you in realising the possibilities for a smarter, cleaner and more efficient tomorrow. Today.



Driven by better



BMUK - WSL EN Version 02\_10/2025 (Based on TD 90004899 Rev. A-0)  
Illustrations are for information only and do not represent actual equipment.  
The illustrations may deviate from standard equipment.

**BUCHER**  
municipal

# Bucher CombiLine C80 gully

Basic combination unit for routine cleaning and maintenance of gullies and small sewer lines or drainage pipes.



# Tip tank with fixed partition

A fixed partition divides the tank in two water / sludge volume compartments, and a tip tank simplifies the unloading process

The Bucher CombiLine C80 gully tank has a gross volume of 8 m³ with a fixed partition inside keeping up to 3.2 m³ of water separated from up to 4.8 m³ of sludge. If needed, water can be moved to the sludge compartment via a 2.5” interconnection valve to perform a blowback into the gully or sewer. The tank can tip 35 degrees and has a stainless steel inliner in the bottom of the sludge compartment to facilitate the emptying process.

### Driveline

- DAF XB 260 FA 4x2
- Day cab
- Mudguards
- Cyclist protection
- Rear underrun protection

### Equipment

- Vice
- Stick box
- Cover hook holder
- Direction arrows, foldable

### Accessories

- Safety support for end cover
- Blind couplings 4”
- Nozzle set ¾” clean water
- Jetting ring 4”

### Jetting

Jetting reel  
100 m ¾”  
plastic hose

Jetting reel  
30 m ½”  
plastic hose

### Vacuum

Top suction valve  
4”  
manual

Bottom suction valve  
4”  
manual

Boom  
5”, rear inlet  
manual

Superstructure item no. 90000021-F101




# Strong service support

At Bucher Municipal, we take our commitment to keeping your vehicles on the road seriously.

Our industry-leading service network, supported by over 70 factory-trained engineers, has a market leading first time fix rate and it ensures that expert assistance is always within reach.

With six strategically located service centres across the UK, a global parts centre offering next-day delivery, and a comprehensive range of Repair & Maintenance packages, we provide seamless support to keep your fleet running efficiently with less down time and reduced maintenance costs.

We use only Original Equipment Manufacturer (OEM) parts for all maintenance, repairs, and routine servicing, guaranteeing optimal performance and reliability. As the OEM and industry experts, we are uniquely positioned to support your vehicles with an extensive £7M+ stock of original parts, ensuring unmatched availability and quality.



# Designed to perform. Built to last.

Bucher’s sewer and drainage equipment is built to last — and it shows in the consistently strong residual values our machines keep, often exceeding 50% at trade-in, even after years of use.

This not only supports a robust pre-owned market but also provides added value for customers looking to finance new equipment by trading in their existing units.

Whether you’re upgrading, expanding, or optimizing your fleet, investing in Bucher means choosing long-term performance, financial flexibility, and maximum value retention.

Thanks to an exceptional build quality, our superstructures tend to outlive their chassis, making remounting a smart, reliable, and cost-effective option for fleet owners.

Even after years of use, our equipment continues to perform reliably, offering consistent returns both in operation and at resale, lowering the total cost of ownership.

Bucher’s sewer and drainage equipment is designed to support your business today — and keep delivering value well into the future.



**Tank**  
8 m³ gross vol. tipping tank w. 0.5 bar operating pressure. A fixed partition inside keeps water and sludge separated.

**Jetting pump**  
Piston pump with a capacity of 125 l/min @ 160 bar for high-pressure jetting with the hose reel.

**Vacuum pump**  
Blower pump with 440 cfm suction capacity. It runs only when vacuum is needed, minimizing noise exposure.

**Make it your own**  
Customize the operator’s workspace from cabinets, equipment, and accessories to paint colour and signwriting.

**Controls**  
Intuitive and heavy duty control panels with functions automated by CANBUS controller.

**End cover**  
Bucher design consisting of a hydraulically-assisted locking mechanism without manual locks for increased safety.

**Top suction**  
A valve on the rear end cover connects to a pipe going into the top of the tank for suction directly into the tank.

**Suction boom**  
Manual 5” boom with a 300° swivel. The arm is counter-balanced and with pneumatic lift assist.